

Silver Hill www.unityhomes.co.ke

Table of **Contents**

A: Gypsum ceiling options


B: Gypsum ceiling options


C: Electric fireplace

D: Air conditioner

E: Steam bath

F: Home elevator





Gypsum **Specifications**

12mm thick drywall gypsum boards finished in ivory face paper, one coat emulsion primer and two coats emulsion matt white paint.


LEED - Leadership in Energy and Environmental Design

High insulating properties, low embodied energy Reduced environmental impact as it has high recylced content Improves indoor environment air quality (non voc emitting) Dry construction improving water efficiency

Pricing:

Estimated Price: \$870

Silver Hill www.unityhomes.co.ke



Gypsum **Specifications**

12mm thick drywall gypsum boards finished in ivory face paper, one coat emulsion primer and two coats emulsion matt white paint.

LEED - Leadership in Energy and Environmental Design

High insulating properties, low embodied energy Reduced environmental impact as it has high recylced content Improves indoor environment air quality (non voc emitting) Dry construction improving water efficiency

Pricing:

Estimated Price:

\$1,200





Features:

Product Size:	Dimensions
Width	1524 mm
Depth	150mm
Height	450mm

Opening Size:

Width	1395mr
Height	418mm

Function Details:

Work with or without heat

Crystal or stone media display

4 colour flame setting

4 color log setting

750/1500 Watts

12 level temperature setting

0.5 - 9 hours timer

Overheating protection

Full tempered glass screen

Full function remote

Pricing:

Estimated Price: \$2,500

Air Conditioner.



Location: Townhouses

Product Size:	Dimensions
Width	236mm
Length	1085mm
Height	315mm
Ratings:	
Power	220-240V/50Hz
Refrigerant type	R410a
Features:	



Estimated Price: \$2,000 for 24K BTU \$1,800 for 18K BTU

Longer-lasting anti-corrosive coating

Auto restart operation

LED indication









Location: Master Bathroom

	+
Product Size:	Dimensions
Width	160mm
Length	330mm
Height	280mm
3	
Ratings:	

Digital Display 220W

Inducing Technology Induction detector

Lock Auto protect

Top Lamp AC 12V / 20W

Fan DC 12V / 5W

Steam Sauna Steam generator

Adjusting Temperature 1 - 60 Degrees Celcius

Adjusting time 1 - 90 min


Cleaning DC 12V, 6W

Waterproof grade IPX5

Protection Leakage, ultra-temperature, antidry protection

Pricing:

Estimated Price: \$2,500



Technical Specifications:

Parameter:	Specification
Head Unit	Sound Proof
No. of Stops	G + 2 stops
Travel Height	9000mm
Speed	0.15m/s
Load Capacity	210kg
Minimum Head Room	0mm
Shaft Diameter	933 mm
Cabin Diameter	853mm
Cabin Height	2000mm
Clear Door Opening	600 mm
Landing Door Height	2000mm
Standard Options:	
Over Load Indicator in Cabin	Yes
Panic Alarm Button	Yes
LED Light and DC Fan	Yes
Emergency Lowering Button	Yes

Function Details:

Unbreakable polycarbonate glass (250 times stronger than normal glass)

Emergency brakes work as an added layer of safety preventing free fall

360 panaromic view with self supporting structure

Gives you the best shaft to cabin ratio.

Green elevators: Minimal energy consumption during ascend and no energy consumed during descent

Negligible maintenance due to no oiling or lubrication

Automatic descent in case of power failure or outage.

No pit, no machine room, no side wall

Pricing:

Price to be provided on inquiry.

Elevator.

How it fits:

